Antietam School District

Anaphylactic Bee Sting Allergy Action Plan

Place Child's Picture Here

Student's Name:	D.O.B:		Teacher:	
ALLERGY TO:				
Asthmatic: Yes No (circle one) *Higher risk 911 MUST BE CALLED			DMINISTERED.	
STEP 1: TREATMENT				To be
Symptoms:		<u>Giv</u>	ve Checked Medication:	determined by
• If stung by bee, and no symptoms:			EpiPen □ Antihistamine	physician
 Mouth Itching, tingling, or swelling of lips, tongue, mouth 			EpiPen □ Antihistamine	authorizing
• Skin Hives, itchy rash, swelling of the face or	extremities		EpiPen □ Antihistamine	treatment
• Gut Nausea, abdominal cramps, vomiting, dia	arrhea		EpiPen □ Antihistamine	
• Throat = Tightening of throat, hoarseness, had	king cough		EpiPen □ Antihistamine	
• Lung = Shortness of breath, repetitive coughing			EpiPen □ Antihistamine	
• Heart = Thready pulse, low blood pressure, fainting	-		EpiPen □ Antihistamine	
• Other =			EpiPen □ Antihistamine	
• If reaction is progressing (several of the above are The severity of symptoms can quickly change. = Potentially	as affected), give		EpiPen □ Antihistamine	
> May administer second dose of twinject	after min	s. if sy	emptoms return. YES NO (circle or	ne)
DOSAGE: Kept in nurse's office: Yes No Epinephrine: inject intramuscularly (circle one) Epi				
Antihistamine: give			Exp. Date	_
Other: give	dose/route		Exp. Date	
STUDENT HAS BEEN INSTRUCTED TO SEL				
			 _ Date	
STEP 2: EMERGENCY CALLS			_ 2	
1. Call 911 (or Rescue Squad:) . State that	an all	lergic reaction has been treated.	, and
additional epinephrine may be needed)				
2. Dr at				
3. Emergency contacts: Name/Relationships Phone Nu			2)	
a1.)			2.)	
b1.) c1.)	<u></u>		2)	
Parent Requests			<i>2-</i> -/	
EVEN IF PARENT/GUARDIAN CANNOT BE RE	ACHED, DO NOT		ITATE TO MEDICATE OR T	AKE
Doctor's Signature		•	Date	
(Required)				
Parent/Guardian Signature (Required)			Date	